

THOMSIT

make it!



AN OVERNIGHT EXPRESS? THE EASY WAY!

Renovation of PVC and LVT flooring
under pressure of time

www.thomsit.com

EASY RENOVATION
WITH A

SYSTEM





A NEW FLOOR IN THE TWINKLING OF AN EYE!

The floor in a medical center has already been worn down by years of use and needs to be refurbished without disturbing normal operations? The floor in the wine department of a supermarket is no longer attractive and needs to be given a new, modern design without disturbing normal business?

We have the solution. With the right THOMSIT products, you can renovate PVC and LVT flooring virtually overnight. Do it the easy way with this THOMSIT renovation system.



Substrate preparation

Take out the old covering and remove any loose or unstable layers, for example, using a diamond grinder.

You will find further information on processing and consumption in the latest technical data sheets at www.thomsit.com.

Do you need more support? Just contact your local THOMSIT adviser.



The renovation system in use

- 1** Prime the surface to be leveled using **THOMSIT R 766**. Level any large breakouts, height differences and irregularities, for example, using **THOMSIT RS 100** renovation leveling compound.
- 2** Apply **THOMSIT TRD 5** edge insulating strips in such a way as to prevent any leveling compound from flowing between the damping underlay and the edge strips. If necessary, also use a sealant (acrylic).
- 3** Level the surface using **THOMSIT XXL XPRESS** fast-setting leveling compound with a minimum thickness of 2 mm and de-aerate it carefully using a spiked roller.
- 4** The new LVT design floor covering can already be laid after about 90 minutes using **THOMSIT K 190 F** fiber-reinforced PVC and rubber flooring adhesive.

OVERNIGHT RENOVATION?

Do it the easy way with perfectly harmonized THOMSIT products!

THOMSIT RS 100 renovation leveling compound is recommended for leveling height differences, irregularities and major breakouts. With the combination of THOMSIT R 766, THOMSIT XXL XPRESS and THOMSIT K 190 F, the new flooring can be laid in the twinkling of an eye.

1 THOMSIT R 766 multi-purpose primer
concentrated primer as a bonding slurry for THOMSIT leveling compounds



2 THOMSIT RS 100 renovation leveling compound
for layers which can be tapered to zero thickness in a single step




3 THOMSIT TRD 5 edge insulating strips
self-adhesive edge insulating strips to prevent noise transmission



4 THOMSIT XXL XPRESS leveling compound
for fast leveling, with layers of up to 20 mm in one step



5 THOMSIT K 190 F adhesive
fiber-reinforced PVC and rubber flooring adhesive, especially well-suited for LVT



- Vinyl design coverings (LVT)
- THOMSIT K 190 F – fiber-reinforced PVC and rubber adhesive
- THOMSIT XXL XPRESS – fast-setting leveling compound
- THOMSIT R 766 – multi-purpose primer
- Prepared substrate, e.g. cement screed with firmly adhering, water-resistant leveling compounds and adhesive residues

ONE SYSTEM – MANY BENEFITS



Fast-setting primer – Can be covered directly with leveling compound without long drying time.



The short open time of the adhesive (about 5 – 10 minutes) ensures rapid progress.



Express completion – The fast-setting leveling compound can already be covered with flooring after 90 minutes.



Health and safety – All the products used are low-emission products (EC 1 Plus) and make the optimum contribution to occupational health and safety, a healthy living environment and environmental compatibility.



Compared with other renovation solutions, the THOMSIT renovation system really is the easy way for you. With its built-in “turbocharger”, the THOMSIT express solution is not only especially fast, but also sustainable, with minimum impact on health and the environment.

THOMSIT

make it!

PCI Augsburg GmbH

Piccardstraße 11

86159 Augsburg

Phone +49 821 5901-0

thomsit-info@pci-group.eu

www.thomsit.com

Your competent partner for flooring technology